

Project:

Drawn by: _

_____ Catalogue #: ___

Type:

Date: _

SLZC2 ZONE SENSING CONTROL PANEL

Complies to the Winnipeg by-law No. 77/2015 Complies to the Alberta Electrical Safety Bulletin 10-2017 CEC-046

The SLZC2 series is the latest generation of zone sensing control units. It's designed to monitor electrical circuits at various voltages (120VAC, 277VAC, and 347VAC). The SLZC2 will automatically trigger emergency lighting operation upon loss of AC current. With the SLZC2, emergency lighting will come on if a zone monitored loses power (triggering emergency lighting specific to that zone). The unit comes standard with zone test switch and zone pilot lights, for easy monitoring and testing. It is also compatible with Stanpro autotest battery units. This new design is clear and simple to install.


FEATURES AND SPECIFICATIONS


- Circuitry
 - Up to 6 circuits monitored (inputs) per cabinet
 - AC (formally external zone sensing) or DC (formally internal zone sensing)
 - Up to 6 outputs

DIMENSION


- 120/277/347 VAC input
- 120/277/347 VAC output
- Zone pilot lights are standard
- Zone test switch are standard
- Compatible with Stanpro's automatic-testing, selfdiagnostic boards
- Clearly identified terminal blocks with high gauge caliber, for easy wiring

- Mechanical
 - Rugged steel cabinet with ultraguard rust-coating
 - 24 knockouts for easy installation
 - Pivoting door
 - Keyhole mounting slots stamped into back of cabinet
 - Built and assembled in Canada
 - Grey powder coat finish is standard
- Compliances
- CSA Certified to C22.2 #141-15
- Meets requirements of ICES-005





000000



Canadian
madeICES
005











RECOMMENDED FLEXIBLE PART NUMBER

Part Number	# of Zones	Relay Control Output	Current	Color	Program		
SLZC2-6C10-ACGYP10	1-6 1 AC		AC	GY - Grey	10		
The part number above are recommanded based on the meet common configurations							


The part number above are recommended based on the most common configurations.

However, if these configurations do not work, please contact the factory for all other possible configurations.

ORDERING GUIDE

SLZC2 -	-	-	-				GY	
Series	# of m	ionitored circuits (?c)	Relay	Control Output (?O)	Current		Color	Program
SLZC2	_C -	(Between 1 and 6)	_0 -	(Between 1 and 6 -	AC	GY -	Grey (Standard)	To be completed by a
				no more than #C	DC			Stanpro representative

To connect more than one zone sense control panel, please ask the manufacturer to provide you with a new wiring diagram



SLZC2-6C1O-ACGYP10

Data is based upon tests performed in a controlled environment. Actual performance can vary depending on operating conditions. All products are subject to change or may be discontinued any time without notice.

