

Project:	Type:	
		71: -
Orawn by:	Catalogue #:	Date:

Series Spec Sheet

SPW

SPECIAL WORDING OPTION

Custom Wording or Graphic Image Black Out & White Out Custom Colours

The SPW special wording option can be used in a variety of applications. From ADA compliant signs to corporate logos, nearly any custom wording or graphic can be applied to a Stanpro running man and exit sign series

FIRE

OPTIONS AND SPECIFICATIONS

• Options

Special wording signs can be combined with additional options as applications require. The AC Flasher option will cause the sign to illuminate and then darken at a rate of about once per second. The black out option adds a opaque, dark panel over the special wording. The panel masks the special wording until the sign is illuminated, thereby preventing false notification of the sign's message. Similarly, the white out option places a white, opaque panel over the lettering to achieve the same result. All of these options are typically added to normally off signs only.

Light source

Typical special wording signs LED light source. Special wording signs specified for LED must use either a red or green lettering/graphic. Contact Stanpro with your specifications.





ORDERING GUIDE

-				_				/			/ /		
Series	No. of faces	Mour	Mounting		Colour		DC voltage		C voltage	Special Wording code	Colour code	Options	
RMRN	1 - Single fac			BK - WH -	Black White	UDC -	Universal DC backup voltage: 6,12 or 24	Blank -	120/277/347	See list below	GW - Green on White GB - Green on Black WG - White on Green RW - Red on White RB - Red on Black	Blank - W0 - B0 -	Blank Whiteout Black Out
RMS	1 - Single fac		niversal iount	WH -	White (standard)	UDC -	Universal DC backup voltage: 6,12 or 24	Blank -	120/277/347	See list below	GW - Green on White GB - Green on Black WG - White on Green	Blank - WO - BO -	Blank Whiteout Black Out
RMXL	1 - Single fac		niversal nount	WH -	White (standard)	UDC -	Universal DC backup voltage: 6,12 or 24	Blank -	120/277/347	See list below	GW - Green on White GB - Green on Black WG - White on Green	Blank - WO - BO -	Blank Whiteout Black Out
RMEA	1 - Single fac		iount	WH - BK - BSH -	White (standard) Black Brushed Aluminium	UDC -	Universal DC backup voltage: 6,12 or 24	Blank -	120/277/347	See list below	GW - Green on White GB - Green on Black WG - White on Green	Blank - W0 - B0 -	Blank Whiteout Black Out
RMV	1 - Single fac	WM - W	eiling mount /all mount nd mount	WH -	White (standard)	UDC -	Universal DC backup voltage: 6,12 or 24	Blank -	120/277/347	See list below	GW - Green on White GB - Green on Black WG - White on Green	Blank - WO - BO -	Blank Whiteout Black Out
SLEXSC - Exit SLSRSC - Sortie	1 - Single fac		niversal lount	WH -	White (standard)	UDC -	Universal DC backup voltage: 6,12 or 24	Blank -	120/347	See list below	RW - Red on White RB - Red on Black	Blank - W0 - B0 -	Blank Whiteout Black Out
SLEXXC- (Exit) SLSRXC -(Sortie)	1 - Single fac		niversal Jount	WH -	White (standard)	UDC -	Universal DC backup voltage: 6,12 or 24	Blank -	120/347	See list below	RW - Red on White RB - Red on Black	Blank - W0 - B0 -	Blank Whiteout Black Out

BLACK OUT OPTION

NORMAL / OFF CONDITION



ACTIVATED / ON CONDITION



WHITE OUT OPTION


NORMAL / OFF CONDITION



ACTIVATED / ON CONDITION



Data is based upon tests performed in a controlled environment. Actual performance can vary depending on operating conditions. All products are subject to change or may be discontinued any time without notice.





SPECIAL WORDING EXAMPLES

Special wording signs can be customised. There are some examples of our possibilities.

- AREA OF REFUGE

- AREA OF RESCUE ASSISTANCE

ATM

- ATTENTION ZONE DE RADIATION

- BARRIER FREE ENVIRONMENT

- BEAM IN USE

- BEAM ON

- BRIEFING IN PROGRESS

- CAITION MAGNET IN USE

- CAUTION MAGNET IN USE

- CAUTION STEP DOWN

- CAUTION STEPS

- CLASSIFIED BRIEFING DO NOT

ENTER

- CLOSED - COAT ROOM

- CRY ROOM

- CT IN USE

- DANGER

- DANGER HIGH VOLTAGE

- DARK ROOM

- DARKROOM ENTRANCE

- DARKROOM IN USE

- DÉFENSE D'ENTRER

- DO NO ENTER - IN USE

- DO NOT ENTER

- DO NOT ENTER - PAINTING IN

PROGRESS

- DO NOT ENTER CONFERENCE IN

SESSION

- DO NOT EXIT

- DO NOT OPEN - DO NOT USE ELEVATOR

- DOOR

- DOWN ESLACATOR

- ELEVATOR

- ENTRANCE - ESCALERA

- FIRE

- FIRE ALARM

- FILE READY

- FIRE ESCAPE

- FIRE EXIT ONLY

- FIRE HOSE

- FIRE RESCUE

- FIRST AID

- FULL

- HALO DISCHARGE

- HALO DISCHARGE - DO NOT

ENTER

- HANDICAP ACCESSIBLE ROUTE

- HANDICAP ELEVATOR

- HFI P

- HOMBRES

- HOSE

- IN USF

- INTERMISSION

- JURY ON DUTY

- LADIES

- LASER IN USE

- LASER IN USE DO NOT ENTER

- LASER ON

- LASTER/X-RAY IN USE

- LOBBY

- MAGNET ON

- MAIL IS UP

- MANDATORY MASK

- MEETING IN PROGRESS

- MFN

- MRI IN USE

- MUJERES

- NEEDS ATTENTION

- NITROGEN ATMOSPHERE - DO NOT ENTER

- NO ENTRE

- NO ENTRY

- NO ENTRY - IN USE

- NO EXIT

- NO SMOKING

- NOT AN EXIT

- OCCUPIED

- OFFICE

- ON AIR

- ON GENERATOR

- ON THE AIR

- OPEN

- OPERACION

- OPERANDO

- PAINTING IN PROCESS

- POINT OF RESCUE

- QUIET PLEASE - SERVICE IN

SESSION

- QUIET PLEASE COURT IN SESSION

QUOROFANO EN USO

- RADIATION IN USE

- RADIATION ON

- RAYON X EN COURS

- RAYON-X

- READY

- RECORDING IN SESSION

- RESPIRATOR REQUIRED

- REST ROOM

- REST ROOMS

- ROOM IN USE

- ROOM IN USE - DO NOT ENTER

- SALLE OPERATION EN UTILISATION

- SOCIAL DISTANCE LOGO (2M/6FT)

- SOCIAL DISTANCE LOGO (1M/3FT)

- SLEEP STUDY IN PROGRESS

- STAIRS

- STEP DOWN

- STEP UP

- STEPS - STOP

- STUDIO ON AIR - EN ONDE

- SUPPRESSION GAS DISCHARGE

- TAXI

- TELEPHONE

- TEST IN PROGRESS

TIME MACHINE

- TO EXIT

- TOILET IN USE

- TOILET ROOM ASSISTANCE

- TUB IN USE

- TV STUDIO IN USE

- UNCLEARED PERSONNEL IN AREA

- UP ELEVATOR

- UV IN USE

- UV LIGHT IN USE

- UV RADIATION

WARNING

- WARNING DO NOT ENTER

- WARNING DO NOT ENTER LOW

OXYGEN

- WARNING GASES PRESENT - WOMEN

— X-RAY

- X-RAY IN USE

- X-RAY IN USE - DO NOT ENTER - X-RAY ON

- XRAY ON - DO NOT ENTER

- X-RAY ROOM IN USE

- X-RAY WARNING

Data is based upon tests performed in a controlled environment. Actual performance can vary depending on operating conditions. All products are subject to change or may be discontinued any time without notice.