

Compatibility List

Choice LED T8 Type A Ballast



T8 TYPE A CHOICE SERIES 3

Order code	Description
70101	T8/S3/13W/835/48/CHOICE/STD
70102	T8/S3/13W/840/48/CHOICE/STD
70103	T8/S3/13W/850/48/CHOICE/STD

120-277 V (1/3)

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps	
Brand	Order code	Number of lamps	Starting Method	Input Voltage							
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V
Standard	56558 E232PI120L	2	IS								
	61113 E232T8IS120/N/AS	2	IS								
	59770 E432T8IS120/H	4	IS								
	61127 E432T8IS120/L/AS/BULK	4	IS								
	61125 E432T8IS120/N/AS/BULK	4	IS								
	61131 E232T8IS120-277/L/AS	2	IS								
	63627 E232T8PS120-277/N/AS	2	PS								
	61062 E232T8PS120-277/L/AS/BULK	2	PS								
	61128 E232T8IS120-277/N/AS	2	IS								
	61123 E232T8IS120/L/AS	2	IS								
	60075 E232T8IS120/H/90C	2	IS								
	60080 E332T8IS120/L/90C/BULK	3	IS								
	61122 E332T8IS120/N/AS	3	IS								
	61065 E432T8PS120-277/L/AS/BULK	4	PS								
	61129 E432T8IS120-277/N/AS	4	IS								
	61063 E432T8PS120-277/N/AS/BULK	4	PS								
61134 E432T8IS120-277/L/AS	4	IS									
Arcata	ACT4P32ISUNV	4	IS								
Advance	ICN-2P32-N	2	IS								
	ICN-2P32-SC	2	IS								
	ICN-2S40-N	2	IS								
	ICN-4P32-N REV.D	4	IS								
	ICN-4P32-SC	4	IS								
	ICN-1P32-N	1	IS								
	IOPA-1P32-N	1	IS								
	IOPA-2P32-N	2	IS								
	IOPA-1P32-LW-N	1	IS								
	IOPA-2P32-LW-N	2	IS								
	IOPA-4P32-LW-N	4	IS								
	IOPS-1P32-N	1	IS								
	IOP-4P32-LW-N	4	IS								
	RCN-2S32-SC	2	PS								
	REZ-2S32-SC	2	PS/DIM								
	REL-4P32-RH-TP	4	IS								
RELB-2S40-N	2	RS									
REL-2P 32-SC	2	IS									
ESPEN	VE232MVHIP	2	IS								
	VE232MVHIPE	2	IS								
	VE232MVHIPHE	2	IS								
	VE232MVHIPLE	2	IS								
	VE432MVHIP	4	IS								
	VE432MVHIPE	4	IS								
VE432MVHIPHE	4	IS									

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

To validate compatibility with ballasts that are not on this list, please contact your sales representative

compatible non-compatible N/A

Compatibility List

Choice LED T8 Type A Ballast



120-277 V (2/3)

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps	
Brand	Order code	Number of lamps	Starting Method	Input Voltage							
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V
Fulham	NPY-120-232-LT8	2	PS								
	NPY-120-432-T8-B	4	IS								
	NPY-120-432-T8-S	4	IS								
	WHCG3-120-T8-IS	3	IS								
	WHCG5-120-T12-RS	2	RS								
	WHL-120-L	2	IS								
Fusion	WH5-120-L	2	IS								
	FB232MVE	2	IS								
	FB332MVE	3	IS								
	FB432MVE	4	IS								
	FB232MVE-HE	2	IS								
	FB232MVE-LHE	2	IS								
	FB432MVE-HE	4	IS								
GE	FB232MVE-PPS-HE	2	PS								
	FB432MVE-PPS-HE	4	PS								
	GE432MAXP-H/ULTRA	4	IS								
	GE232MAXP-H	2	IS								
	GE232MAXP-L	2	IS								
	GE332MAXP-L	3	IS								
	GE132MAXP-N	1	IS								
	GE 232-120RES-DIYB	2	IS								
	GE 232-120-PS-N	2	PS								
	GE232MAX-G-N	2	IS								
	GE232MAX-N	2	IS								
	GE232-MVPS-L	2	PS								
	GE232-MV-N	2	IS								
	GE-232-MVPS-H	2	PS								
	Greenhill	GE332MAX90-V60	3	IS/DIM							
GH2P59ISUNV		2	IS								
Halco	GH4P32ISUNV	4	IS								
	EP232IS/H/MV/HE	2	IS								
	EP332IS/L/MV/HE	3	IS								
	EP332IS/MV/MC	3	IS								
	EP432IS/L/MV/HE	4	IS								
Huafeng	EP432IS/MV/MC	4	IS								
	ENI-T8-32-P2SC-N	2	IS								
Keystone	ENI-T8-32-P4MC-N	4	IS								
	KTEB-232-UV-IS-N-P	2	IS								
	KTEB-332-UV-IS-N-P	3	IS								
	KTEB-432-UV-IS-N-P	4	IS								
OSRAM	KTEB-232-UV-PS-VDIM	2	PS/DIM								
	QTP 3x32T8/UNV PSX-SC	3	IS								
	QHE 4*32T8/UNV PSN-SC	4	PS								
	QTP 2*32T8/UNV ISN-SC	2	IS								
	QHE1X32T8/UNV ISH-HT-SC	1	IS								
	QHE1X32T8/UNV ISL-SC	1	IS								
	QHE1X32T8/UNV ISN-SC	1	IS								
QHE1x32T8/UNV DIM-TC	1	DIM									
	QHE1XLEDT8/UNV ISL-SC	1	IS								

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible

non-compatible

N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

Compatibility List

Choice LED T8 Type A Ballast



120-277 V (3/3)

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps	
Brand	Order code	Number of lamps	Starting Method	Input Voltage							
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V
OSRAM	QHE1XLEDT8/UNV ISN-SC	1	IS								
	QHE1XLEDT8/UNV ISN-SC-G2	1	IS								
	QHE2XLEDT8/UNV ISL-SC-G2	2	IS								
	QHE2XLEDT8/UNV ISN-SC-G2	2	IS								
	QHE2X32T8/UNV ISH-HT-SC	2	IS								
	QHE2X32T8/UNV ISL-SC	2	IS								
	QHE2X32T8/UNV ISN-SC	2	IS								
	QHE2X32T8/UNV PSH-HT	2	PRO								
	QHE2x32T8/UNV DIM-TC	2	DIM								
	QHE3XLEDT8/UNV ISL-SC	3	IS								
	QHE3XLEDT8/UNV ISN-SC	3	IS								
	QHE3XLEDT8/UNV ISN-SC-G2	3	IS								
	QHE3X32T8/UNV ISL-SC	3	IS								
	QHE3X32T8/UNV ISN-SC	3	IS	TBD							
	QHE3X32T8/UNV ISN-SC-1	3	IS								
	QHE3X32T8/UNV PSN-SC	3	PRO		TBD						
	QHE4XLEDT8/UNV ISN-SC-G2	4	IS								
	QHE4X32T8/UNV ISL-SC	4	IS								
	QHE4X32T8/UNV ISN-SC	4	IS								
	QHE4x32T8/UNV DIM-TCL	4	DIM								
	QTP 2*32T8/UNV ISN-SC	2	IS								
Howard	EP4/32IS/MV/MC/HE	4	IS								
	EPL3/32IS/MV/SC/HE	3	IS								
POWER MASTER	2*32T8-UNV-IS-L	2	IS								
Robertson	RSW240T12120	2	PS								
Sunpark	SL15T	2	PS								
Premium	BB-T8/UVH-2x32	2	IS								
	BB-T8/UVH-3x32	3	IS								
Pacific	EB-332IS-U	3	IS								
	EB-432IS-U	4	IS								
TCP	E4P32PSVNVE	4	IS								
PLUSRITE	BAF232IS/MV/H	2	IS								
Universal	B232SR120S30	2	PS/DIM								
	B232IUNVHP-N	2	IS								
	B432IUNVHP-A	4	IS								
	B332IUNVHIP-A	3	IS								

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

Compatibility List

Choice LED T8 Type A Ballast



347 V

Ballast Description				1 Lamp	2 Lamps	3 Lamps	4 Lamps
Brand	Order code	Number of lamps	Starting Method	Input Voltage			
				347 V			
Standard	10293 E232T8IS347/N	2	IS				
	60076 E232T8IS347/H/90C	2	IS				
	58278 E232T8IS347/L/BULK	2	IS				
	31549 E232T8IS347/N/BULK	2	IS				
	10294 E432PI347G01	4	IS				
	56603 E432T8IS347/L/BULK	4	IS				
	10294 E432T8IS347/N	4	IS				
	31552 E432T8IS347/N/BULK	4	IS				
	59971 E432T8IS347/H/90C	4	IS				
	66150 E232T8IS/MIC/347/N/AS	2	IS				
	59741 E232T8PS347/H/XTRM	2	PS				
	62992 E232T8PS347/N/AS/BULK	2	PS				
	66152 E232T8IS/MIC/347/L/AS/BULK	2	IS				
	60079 E332T8IS347/L/90C/BULK	3	IS				
	61064 E432T8PS347/N/AS/BULK	4	PS				
	61066 E432T8PS347/L/AS/BULK	4	PS				
Advance	GOPA-4P32-LW-SC	4	IS				
	GOPA-3P32-LW-SC	2	IS				
	GOPA-4P32-SC	4	IS				
OSRAM	QHE 4*32T8/347 ISN-SC	4	IS				
	QHE1X32T8/347 ISN-SC	1	IS				
	QHE1X32T8/347 ISL-SC	1	IS				
	QHE2X32T8/347 ISL-SC	2	IS				
	QHE2X32T8/347 ISN-SC	2	IS				
Fusion	QHE3X32T8/347 ISN-SC	3	IS				
	FB232347E-HE	2	IS				
	FB232347E-L	2	IS				
	FB232347E-PPS-HE	2	PS				
	FB432347E-HE	4	IS				
	FB432347E-L	4	IS				
GE	FB432347E-PPS-HE	4	PS				
	GE432PS347-N	4	PS				
	GE232MAX347-H	2	IS				
	GE332MAX347-H	3	IS				
	GE332MAX347-H	3	IS				
Ultrasave	GE232PS347-N	2	IS				
	MR232347	2	IS				
Universal	B232I347HE-A	2	IS				
	B432I347HE-A	4	IS				
SYMBAN	SLFE-432T8-347V	4	IS				

compatible
 non-compatible
 N/A

Emergency Ballast		Model
172	IOTA	ISL-540 TBTS SERIES D - EMERGENCY LIGHTING EQUIPMENT
173	KEYSTONE	KT-EMRG-500 EMERGENCY LIGHTING EQUIPMENT
174	PHILIPS	bodine B50 EMERGENCY LIGHTING EQUIPMENT

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

To validate compatibility with ballasts that are not on this list, please contact your sales representative

Compatibility List

Choice LED Linears Ballast



LED T8 GEN2

Order code	Description
67972	T8/S2/10.5W/835/48/CHOICE/STD
67973	T8/S2/10.5W/840/48/CHOICE/STD
67977	T8/S2/10.5W/850/48/CHOICE/STD

120-277 V (1/3)

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps		Ballast version
Brand	Order code	Number of lamps	Starting Method	Input Voltage								
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
ESPEN	VE232MVHIPE	2	IS									/
	VE232MVHIPLE	2	IS									/
FULHAM	WHSG3-UNV-T8-IS	3	IS									/
	WHSG4-UNV-T8-IS	4	IS									/
GE	GE-232-MV-N-DIY	2	IS									/
	GE-432-MV-N-DIY	4	IS									/
	GE132MAX-N/ULTRA	1	IS									/
	GE232MAX-N/ULTRA	2	IS									/
	GE332MAX-N/ULTRA	3	IS									/
	GE432MAX-N/ULTRA	4	IS									/
	GE132MAX-L/ULTRA	1	IS									/
	GE232MAX-L/ULTRA	2	IS									/
	GE132MAX-H/ULTRA	1	IS									/
	GE232MAX-H/ULTRA	2	IS									/
	GE132MAXP-N/ULTRA	1	IS									/
	GE232MAXP-N/ULTRA	2	IS									/
	GE332MAXP-N/ULTRA	3	IS									/
	GE432MAXP-N/ULTRA	4	IS									/
	GE132MAXP-L/ULTRA	1	IS									/
	GE232MAXP-L/ULTRA	2	IS									/
	GE332MAXP-L/ULTRA	3	IS									/
	GE432MAXP-L/ULTRA	4	IS									/
	GE332MAXP-H/ULTRA	3	IS									/
	GE432MAXP-H/ULTRA	4	IS									/
Halco Lighting	EP232IS/L/MV/HE	2	IS									/
	EP332IS/L/MV/HE	3	IS									/
	EP232IS/H/MV/HE	2	IS									/
	EP332IS/MV/HE	3	IS									/
	EP432IS/MV/HE	4	IS									/
HOWARD INDUSTRIES	EPL2/32IS/MV/MC/HE	2	IS									/
	EPL3/32IS/MV/SC/HE	3	IS									/
	EPL4/32IS/MV/MC/HE	4	IS									/
	EPH2/32IS/MV/MC/HE	2	IS									/
	EPH3/32IS/MV/MC/HE	3	IS									/
	EPH4/32IS/MV/SC/HE	4	IS									/
	EP3/32IS/MV/MC/HE	3	IS									/
	EP4/32IS/MV/MC/HE	4	IS									/
KEYSTONE	KTEB-232-UV-IS-H-P	2	IS									/
	KTEB-332-UV-IS-H-P	3	IS									/
	KTEB-232-UV-IS-N-P	2	IS									/
	KTEB-332-UV-IS-N-P	3	IS									/
	KTEB-432-UV-IS-L-P	4	IS									/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

Compatibility List

Choice LED Linears Ballast



120-277 V (2/3)

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps		Ballast version
Brand	Order code	Number of lamps	Starting Method	Input Voltage								
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
MAXLITE	SKEU324HE/SC	4	IS									/
	MLEU324HE/SC	4	IS									/
Philips ADVANCE	ICN-1P32-N	1	IS									/
	ICN-2P32-N	2	IS									/
	ICN-3P32-N	3	IS									/
	ICN-4P32-N	4	IS									/
	IOPA-1P32-N	1	IS									/
	IOPA-2P32-N	2	IS									/
	IOPA-3P32-N	3	IS									/
	IOPA-4P32-N	4	IS									/
	IOPA-1P32-LW-N	1	IS									/
	IOPA-2P32-LW-N	2	IS									/
	IOPA-3P32-LW-N	3	IS									/
	IOPA-4P32-LW-N	4	IS									/
	IOPA-1P32-HL-N	1	IS									/
	IOPA-2P32-HL-N	2	IS									/
	IOPA-4P32-HL-SC	4	IS									/
	IOP-2P32-N	2	IS									/
	IOP-4P32-N	4	IS									/
	IOP-2P32-LW-N	2	IS									/
	IOP-2P32-HL-N	2	IS									/
	IOP-4P32-HL-SC	4	IS									/
	GOPA-2P32-SC	2	IS									/
	GOPA-4P32-SC	4	IS									/
	GOPA-4P32-LW-SC	4	IS									/
	REB-2P32-SC	2	IS									/
	REB-4P32-SC	4	IS									/
	ICN2P16TLEDN	2	IS									/
	ICN3P16TLEDN	3	IS									/
	ICN4P16TLEDN	4	IS									/
	ICN2P16HLTLEDSC	2	IS									/
	ICN4P16HLTLEDSC	4	IS									/
	IZT-2P16-TLED-SC	2	IS									/
	IZT-4P16-TLED-SC	4	IS									/
Standard	61126 - E232T8IS120L/AS/BULK	-	IS									
	61123 - E232T8IS120L/AS	2	IS									/
	61113 - E232T8IS120N/AS	2	IS									/
	61124 - E232T8IS120N/AS/BULK	-	IS									
	61114 - E432T8IS120N/AS	4	IS									/
	61125 - E432T8IS120N/AS/BULK	4	IS									/
	61120 - E432T8IS120L/AS	4	IS									/
	61127 - E432T8IS120L/AS/BULK	4	IS									/
	61121 - E296T8IS120N/AS	2	IS									/
	31036 - E432T8IS347/L	-	IS									
	16358 - E296T8IS347/N	-	IS									

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

To validate compatibility with ballasts that are not on this list, please contact your sales representative

compatible non-compatible N/A

Compatibility List

Choice LED Linears Ballast



120-277 V (3/3)

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps		Ballast version
Brand	Order code	Number of lamps	Starting Method	Input Voltage								
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
SYLVANIA Osram	QTP 1X32T8/UNV ISN-SC	1	IS									/
	QTP 2X32T8/UNV ISN-SC	2	IS									/
	QTP 3X32T8/UNV ISN-SC	3	IS									/
	QTP 4X32T8/UNV ISN-SC	4	IS									/
	QHE 1x32T8/UNV ISN-SC	1	IS									/
	QHE 2X32T8/UNV ISN-SC	2	IS									/
	QHE 3×32T8/UNV ISN-SC	3	IS									/
	QHE 4X32T8/UNV ISN-SC	4	IS									/
	QHE 1x32T8/UNV ISL-SC	1	IS									/
	QHE 2×32T8/UNV ISL-SC	2	IS									/
	QHE 3×32T8/UNV ISL-SC	3	IS									/
	QHE 4×32T8/UNV ISL-SC	4	IS									/
	QHE 1×32T8/UNV ISH-SC	1	IS									/
	QHE 2×32T8/UNV ISH-SC	2	IS									/
	QHE 4x32T8/UNV ISH	4	IS									/
	QHE 1X32T8/UNV ISH HT SC	1	IS									/
	QHE 2X32T8/UNV ISH HT SC	2	IS									/
	QHE 3x32T8/UNV ISN-SC-1	3	IS									/
	QHE 4x32T8/UNV ISN-SC-1	4	IS									/
	QHE 3x32T8/UNV ISL-SC-1	3	IS									/
QHE 4x32T8/UNV ISL-SC-1	4	IS									/	
Ultra Save	UT232347	2	IS									/
	UT432347	4	IS									/
Universal/TRIAD	B132IUNVHP-N	1	IS									/
	B232IUNVHP-N	2	IS									/
	B332IUNVHP-A	3	IS									/
	B432IUNVHP-A	4	IS									/
	B132IUNVHE-A	1	IS									/
	B232IUNVHE-A	2	IS									/
	B332IUNVHE-A	3	IS									/
	B432IUNVHE-A	4	IS									/
	B232IUNVEL-A	2	IS									/
	B332IUNVEL-A	3	IS									/
	B432IUNVEL-A	4	IS									/
	B232IUNVHEH-A	2	IS									/

120 V

Ballast Description				1 Lamp	2 Lamps	3 Lamps	4 Lamps	Ballast version
Brand	Order code	Number of lamps	Starting Method	Input Voltage				
				120 V	120 V	120 V	120 V	
GE	GE232-120RES-DIY	2	IS					/
Philips ADVANCE	REB-2P32-N	2	IS					/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

Compatibility List

Choice LED Linears Ballast



347 V

Ballast Description				1 Lamp	2 Lamps	3 Lamps	4 Lamps	Ballast version
Brand	Order code	Number of lamps	Starting Method	Input Voltage				
				347 V	347 V	347 V	347 V	
GE	GE432MAX347-N	4	IS					/
Standard	66150 - E232T8S/MIC/347/N/AS	2	IS					/
	66151 - E232T8S/MIC/347/N/AS/BULK	2	IS					/
	10294 - E432T8IS347/N	4	IS					/
	31552 - E432T8IS347/N/BULK	4	IS					/
	66152 - E232T8S/MIC/347/L/AS/BULK	2	IS					/
	56603 - E432T8IS347/L/BULK	4	IS					/
	31036 - E432T8IS347/L	4	IS					/
	16358 - E296T8IS347/N	2	IS					/
SYLVANIA Osram	QTP 2X32T8/347 ISN-SC	2	IS					/
	QHE 4X32T8/347 ISN-SC	4	IS					/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible
 non-compatible
 N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

Compatibility List

Choice LED Linears Ballast



LED T8

Order code	Description
66989	T8/15W/835/48/CHOICE/STD
66990	T8/15W/840/48/CHOICE/STD
66991	T8/15W/850/48/CHOICE/STD

120-277 V (1/3)

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps		Ballast version
Brand	Order code	Number of lamps	Starting Method	Input Voltage								
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
Arcata	ACT2P32ISUNV	2	IS									/
	ACT4P32ISUNV	4	IS									/
Advance	ICN-1P32-N	1	IS									/
	ICN-2P32-N	2	IS									REV C/E
	ICN-3P32-N	3	IS									REV D
	ICN-4P32-N	4	IS									REV D
	ICN-2P32-SC	2	IS									/
	ICN-4P32-SC	4	IS									REV D
	ICN-4P32-SC	4	IS									REV C
	ICN-2S40-N	2	RS									/
	IOPA-1P32-N	1	IS									REV B
	IOPA-2P32-N	2	IS									REV A
	IOPA-4P32-N	4	IS									REV C
	IOPA-1P32-LW-N	1	IS									REV A
	IOPA-2P32-LW-N	2	IS									REV B
	IOPA-4P32-LW-N	4	IS									REV A
	IOP-4PSP32-SC	4	PS									REV B
	RCN-2S32-SC	2	PS									REV D
	REL-2P32-SC	2	IS									UL 704G
	REL-2P32-SC	2	IS									UL3K70
	REL-4P32-RH-TP	4	IS									/
	RELB-2S40-N	2	RS									/
Eiko	PM 2x32T8-UNV-IS-L	2	IS									/
Espen	VE232MVHIP	2	IS									/
	VE232MVHIPE	2	IS									/
	VE232MVHIPHE	2	IS									/
	VE232MVHIPLE	2	IS									/
	VE432MVHIP	4	IS									/
	VE432MVHIPE	4	IS									/
	VE432MVHIPHE	4	IS									/
Fulham	NPY-120-232-LT8	2	PS									/
	NPY-120-432-T8B	4	IS									/
	NPY-120-432-T8-IS	4	IS									/
	WHCG3-120-T8-IS	3	IS									/
	WHCG5-120-T12-RS	2	RS									/
	WH2-120-L	1	IS									/
	WH5-120-L	4	IS									/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

Compatibility List

Choice LED Linears Ballast



120-277 V (2/3)

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps		Ballast version
Brand	Order code	Number of lamps	Starting Method	Input Voltage								
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
Fusion	FB232MVE	2	IS									/
	FB232MVE-HE	2	IS									/
	FB232MVE-LHE	2	IS									/
	FB232MVE-PPS-HE	2	PS									/
	FB332MVE	3	IS									/
	FB432MVE	4	IS									/
	FB432MVE-HE	4	IS									/
	FB432MVE-PPS-HE	4	PS									/
GE	GE132MAXP-N/ULTRA	1	IS									/
	GE 232-120RES-DIYB	2	IS									/
	GE 232-120-PS-N	2	PS									/
	GE232MAX-G-N	2	IS									/
	GE232MAXP-L/ULTRA	2	IS									/
	GE232MAXP-N/ULTRA	2	IS									/
	GE232MAXP-H/ULTRA	2	IS									/
	GE232-MV-N	2	IS									/
	GE232-MVPS-L	2	PS									/
	GE232-MVPS-N	2	PS									/
	GE232-MVPS-H	2	PS									/
	GE332MAX-L/ULTRA	3	IS									/
	GE332MV-N-DIY	3	IS									/
	GE432MAX-G-N	4	IS									/
	GE432MAX-H/ULTRA	4	IS									/
	GE432MAX-H-42T	4	IS									/
Greenhill	GH2P59ISUNV	2	IS									/
	GH4P32ISUNV	4	IS									/
Halco	EP232IS/H/MV/HE	2	IS									/
	EP332IS/L/MV/HE	3	IS									/
	EP332IS/MV/MC	3	IS									/
	EP432IS/L/MV/HE	4	IS									/
	EP432IS/MV/MC	4	IS									/
Howard	EP3/32IS/MV/SC/HE	3	IS									/
	EP4/32IS/MV/MC/HE	4	IS									/
Huafeng	ENI-T8-32-P2SC-N	2	IS									/
	ENI-T8-32-P4MC-N	4	IS									/
Keystone	KTEB-232-UV-IS-N-P	2	IS									Version D1
	KTEB-332-UV-IS-N-P	3	IS									Version B
	KTEB-432-UV-IS-N-P	4	IS									Version A1
Osram	QHE 2x32T8/UNV ISL SC	2	IS									/
	QTP 2x32T8/UNV ISN-SC	2	IS									/
	QTP 3x32T8/UNV PSX-SC	3	PS									/
	QHE 4x32T8/UNV ISL SC	4	IS									/
	QHE 4x32T8/UNV PSN-SC	4	PS									/
	QTP 4x32T8/UNV ISN-SC	4	IS									/
Pacific	EB-332IS-U	3	IS									/
	EB-432IS-U	4	IS									/
Plusrite	BAF232IS/MV/H	2	IS									/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

■ compatible ■ non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

Compatibility List

Choice LED Linears Ballast



120-277 V (3/3)

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps		Ballast version
Brand	Order code	Number of lamps	Starting Method	Input Voltage								
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
PQL	70201	2	IS									/
	70204	4	IS									/
Premium	BB-T8/UVH-2x32	2	IS									/
	BB-T8/UVH-3x32	3	IS									/
Robertson	RSW240T12120	2	PS									/
Standard	61123 - E232T8IS120/L/AS	2	IS									/
	61126 - E232T8IS120/L/AS/BULK	2	IS									/
	61113 - E232T8IS120/N/AS	2	IS									/
	61124 - E232T8IS120/N/AS/BULK	2	IS									/
	59770 - E432T8IS120/H/90C	4	IS									/
	61120 - E432T8IS120/L/AS	4	IS									/
	61127 - E432T8IS120/L/AS/BULK	4	IS									/
	61114 - E432T8IS120/N/AS	4	IS									/
	61125 - E432T8IS120/N/AS/BULK	4	IS									/
Sunpark	SL15T	2	PS									/
TCP	E4P32PSUNVE	4	PS									/
Universal	B232IUNVHP-N	2	IS									REV B
	B332IUNVHP-A	3	IS									REV B
	B432IUNVHP-A	4	IS									REV B

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

Compatibility List

Choice LED Linears Ballast



347 V

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps		Ballast version
Brand	Order code	Number of lamps	Starting Method	Input Voltage								
				347 V	480 V	347 V	480 V	347 V	480 V	347 V	480 V	
Arcata	ACT2P32IS347	2	IS									/
	ACT4P32IS347	4	IS									/
Advance	GOPA-2P32-LW-N	2	IS									REV A
	GOPA-2P32-LW-SC	2	IS									REV D
	GOPA-4P32-LW-SC	4	IS									REV D
	GOPA-2P32-SC	2	IS									REV C
	GOPA-4P32-SC	4	IS									REV D
Fusion	FB232347E-HE	2	IS									/
	FB232347E-L	2	IS									/
	FB232347E-PPS-HE	2	PS									/
	FB432347E-HE	4	IS									/
	FB432347E-L	4	IS									/
	FB432347E-PPS-HE	4	PS									/
GE	GE232MAX347-H	2	IS									/
	GE332MAX347-H	3	IS									/
	GE432MAX347-H	4	IS									/
Magnetek	B232I347HP	2	IS									/
Osram	QHE 2x32 T8/347 ISL-SC	2	IS									/
	QHE 2x32 T8/347 ISN-SC	2	IS									/
	QHE 4x32 T8/347 ISL-SC	4	IS									/
Standard	60076 - E232T8IS347/H/90C	2	IS									/
	58278 - E232T8IS347/L/BULK	2	IS									/
	10293 - E232T8IS347/N	2	IS									/
	31549 - E232T8IS347/N/BULK	2	IS									/
	31036 - E432T8IS347/L	4	IS									/
	56603 - E432T8IS347/L/BULK	4	IS									/
	10294 - E432T8IS347/N	4	IS									/
	31552 - E432T8IS347/N/BULK	4	IS									/
	59771 - E432T8IS347/H/90C	4	IS									/
Ultrasave	JR232347	2	RS									/
	MR232347	2	IS									/
Universal	B232I347HE-A	2	IS									/
	B432I347HE-A	4	IS									/
	B432I347RH	4	IS									REV H

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible

non-compatible

N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative