

STAN	PRO	GEC						
Project:Type:					00:			
	**							
Individual Sp	ec Sheet							
5-KEY I	BATTE	RY-PO	WERED					
WALL S	WITC	Н				Auto		
FIELD INST.					0	\ ^ <u>~</u>		
Integrated Bluetooth® Mesh Technology					100	0		
ORDERING INFO		1110011 100111	.0.099			2		
Order code: 69736 Model number: CTRL-KBS5-002 UPC: 069549029576 DLC ID: N-HK2HBX						Wall-mounted or portable remote controller		
The 5 Key Battery Powered Wall Switch is a versatile, battery-powered Bluetooth® wireless wall switch that offers seamless control. It enables various features, including ON/OFF and dimming control, AUTO for automated control, and three customizable scene settings. Additionally, the wall switch can act like a remote controller, allowing you to operate your smart ecosystem from anywhere within its wireless range. Set up and re-program or re-group fixtures easily with our Genio app via a smart phone.					the			
Features Bluetooth® 5.0 network technology enables the switch to be linked to one or more light groups via the Genio app Powered by two CR2032 batteries Approximately 5-8 year battery life* 3-scene scroll button Separate DIM, ON/OFF, AUTO buttons LED indicator will flash to show low battery life Can be wall-mounted or used as portable remote controller Easily retrofit existing wall switches with wall plates (not included)						Wall Plate (accessory not included)		
TECHNICAL SP	ECS							
Input voltage: Color: Operating temperatur Housing material:	3 V DC White e: 0 °C to 30 °C UL 94-VO	(32 °F to 86 °F)	Bluetooth® transmit: Radio frequency: IP rating:	100 ft Max 2.4 GHz ± 75 MHz IP20	₿ Blu	uetootl	n ®	
ACCESSORIES	(order sepa	arately)			yrs	<u>=</u>	Ø	
Order code Model n 69739 CTRL-K		ription	tery-Powered Wall Switch		warranty	quick ship	dry	
DIMENSIONS ¹	DO OOT Wall	plate for bluetooth but	tory i owered wan owner		warrunty	ship	location	
1 1/4" (3.3 cm) 2 5/8" (6.6 cm) 69736	4 1/8" (10.43 cm) 2 (6.	1 3/4" (4.5 cm) 5/8" 63 cm) 69736	3" (7.5 cr 4 5/8" (11.9 cm) 69739	n)	indoor			
¹ For pairing instructions, <u>click he</u>					Price			
Qty	De	escription			FILE			

I accept the specifications of the accessory configuration mentioned above. Name: Company: Signature: Date:

Data is based upon tests performed in a controlled environment. Actual performance can vary depending on operating conditions. All products are subject to change or may be discontinued any time without notice.







GENIO CONTROL SYSTEM FEATURES

Genio is Stanpro's smart brand of lighting and emergency lighting. Integrating the latest in Bluetooth® Mesh technology, Genio products allow for customizable features that can be adjusted at your fingertips using a smartphone or other compatible devices. This system is easy to use, versatile and futureproof! Please see below for some of the key features1 of the Genio control system:



LIGHTS

Instantly control the color temperature, wattage, lumen output and dimming.



GROUPS

Easily group luminaires together and control them as a single unit.



SCENES

Customize your lighting through scenes and create different atmospheres for occasions and activities.



SCHEDULES

Set schedules to specify dates, times and recurrence patterns for changing the settings of your lighting.



SENSOR

Adjust the integrated PIR motion sensor and daylight harvesting settings.



Lights

- Add
- Name or Rename
- **Dimming and Color** Tuning
- Delete
- **Sensor Settings**



Groups

- Create
- Rename
- Delete
- Add or Remove Lights
- Adjust Group Linkage Level
- Turn On/Off
- **Adjust Group Dimming**
- Activate Auto Mode



cenes

- Create
- Edit
- Delete



Schedules

- Creating
- Associate a Schedule To Lights, Groups, or Scenes
- Set a Repeating
- Set Fade Time
- Delete
- Enable Or Disable





Download on the App Store





Download our App **Instruction Guide**

The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Ascot Capital Group is under license. Other trademarks and trade names are those of their respective owners.





Please note that the features mentioned are part of a broader range of characteristics relating to the Genio Ecosystem and may not be applicable to this specific product. Customers are advised to review the product specifications carefully to understand their capabilities.